




Myra 654

MYRA COLLECTION:
 Myra 652, Myra 654, Myra 653, Myra 654B, Myra 655, Myra 656,
 Myra 657, Myra 658, Myra 658B, Myra 659, Myra 660, Myra 667,
 Myra 668, Myra 669, Myra 674, Myra 675, Myra 677, Myra 676,
 Myra 678, Myra 679, Myra 680, Myra 681, Myra 682, Myra 683,



4-leg stool with steel frame and upholstered shell in fabric; version with seat H 77 cm. Available in polyurethane injected foam in compliance with UK fire regulations. 

WEIGHT
 7,7 Kg

PACK
 0,28 m³

PIECES PER BOX
 1

FINISHES SEATING

TE


FABRICS




Melva
+ 5 colors




Fortis + 8 colori




Inca
+ 14 colors




Amsterdam
+ 8 colors




Medley Gabriel
+ 15 colors



Chili Gabriel
+ 8 colors



Mirage
+ 8 colors



Convert
+ 7 colors




Fenice
+ 8 colors



Mood Gabriel
+ 8 colors



Valencia
+ 14 colors




Reviva Hero
+ 10 colors



Fabthirty Rubelli
+ 8 colors



Ocean Mastrotto
+ 15 colors



Remix 3 Kvadrat
+ 15 colors

NOTE

Resources


3ds



| dwg



Stichings available in red, rope and according to fabric colour.



FRAMES

AC


STEEL



NCS S4000-N VR White aluminium



NCS S9000-N VR Jet black



NCS S3060-Y80R Coral red




CR Chrome



NCS S9000-N VR Matt Jet Black



VR Rough metallic bronze




NCS S3060-Y Curry



NCS S7020-G50Y Olive green



NCS S4050-B40G Water blue



NCS S6030-B Capri blue



NCS S8005-Y20R Brown



NCS s0502-b VR Traffic white



NCS S4040-R Marsala



VR Pewter



NCS S0500-N VR Pure white



NCS S7502-B VR Anthracite grey

CERTIFICATIONS

- > UNI/EN 16139:2013 - Par.4 Sicurezza. 4.3 Stabilità (18/10/16)
- > UNI/EN 16139:2013 - Par.4.1. Generale. 4.2 Cesoiamento e schiacciamento (18/10/16)
- > UNI/EN 16139:2013 - Par.6. Prova 1. Carico statico sedile e schienale: 2-Uso estremo (18/10/16)
- > UNI/EN 16139:2013 - Par.6. Prova 11. Prova di durabilità dell'appoggiapiedi: 2-Uso estremo (11/11/16)
- > UNI/EN 16139:2013 - Par.6. Prova 12. Prova di carico statico delle gambe anteriori: 2-Uso estremo (11/11/16)
- > UNI/EN 16139:2013 - Par.6. Prova 13. Prova di carico statico delle gambe laterali: 2-Uso estremo (11/11/16)
- > UNI/EN 16139:2013 - Par.6. Prova 14. Prova di urto sul sedile: 2-Uso estremo (11/11/16)
- > UNI/EN 16139:2013 - Par.6. Prova 15. Prova di urto sullo schienale: 2-Uso estremo (11/11/16)
- > UNI/EN 16139:2013 - Par.6. Prova 2. Carico statico sul fronte anteriore: 2-Uso estremo (18/10/16)
- > UNI/EN 16139:2013 - Par.6. Prova 3. Carico verticale sullo schienale: 2-Uso estremo (18/10/16)
- > UNI/EN 16139:2013 - Par.6. Prova 4. Carico statico sul poggiapiedi/ poggia gambe: 2-Uso estremo (18/10/16)
- > UNI/EN 16139:2013 - Par.6. Prova 8. Prova di fatica sedile e schienale: 2-Uso estremo (31/10/16)
- > UNI/EN 16139:2013 - Par.6. Prova 9. Prova di fatica del bordo anteriore: 2-Uso estremo (04/11/16)

USES

coffee & restaurants, hotels,